PRSRT STD
US Postage PAID
Mobile, AL
Permit No. 10026

CUSHLA WATER DISTRICT 6649 Hwy 45 Fight Mile Al 36613

2015 Annual Water Quality Report Testing Performed January - December 2014

KUSHLA WATER DISTRICT

PWSID AL0000993 6649 Hwy 45 Eight Mile, AL 36613 Phone 251-675-2297 kushlawater.com

We are pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. We are committed to ensuring the quality of your water.

Thank you for allowing us to continue providing your family with clean, quality water this year. In order to maintain a safe and dependable water supply, we continually need to make improvements that will benefit all of our customers. Some of those improvements include extending our water lines to mew customers, replacing old or damaged water lines, cleaning and painting our storage tanks, replacing old or defective water meters, and upgrading our pumping stations. These improvements sometimes require interruptions in service. Thank you for understanding.

As a convenience to you, we suggest that you mail your remittance and bill to the office or use the after-hours depository box, located at the left of the drive-up window. The office hours have been changed. The current hours are 9:00 a.m. - 12:00 noon and 1:00 - 4:00 p.m., Monday through Friday.

Water Sources:

Two (2) groundwater wells

producing from the Miocene series

Number of Customers:

Approximately 2000

Water Treatment:

Chlorination for disinfection

Certified Water Operator:

Daryl Taylor

Board Members:

William Silver, Chairman

Charlotte Lambert, Vice-Chairman

Earl Hudson, Treasurer

Tommy Vice Christopher Williams Mattie Smith Nathaniel Cotton Michael Robitzsch

Source Water Assessment

In compliance with the Alabama Department of Environmental Management (ADEM), Kushla Water District has developed a Source Water Assessment plan that will assist in protecting our water sources. This plan provides additional information such as potential sources of contamination. It includes a susceptibility analysis, which classifies potential contaminants as high, moderate, or non-susceptible to contaminating the water source. The assessment has been performed, public notification has been completed, and the plan has been approved by ADEM. A copy of the report is available in our office for review during normal business hours, or you may purchase a copy upon request for a nominal reproduction fee.

Please help us make this effort worthwhile by protecting our source water. Carefully follow instructions on pesticides and herbicides you use for your lawn and garden, and property dispose of household chemicals, paints and waste oil.

Monitoring Schedule

Kushla Water District routinely monitors for constituents in your drinking water according to Federal and State laws in accordance with the regulatory schedule. This report contains results from monitoring as listed below:

Constituents Monitored	Date Monitored
Inorganic Contaminants	2014
Lead/Copper	2013
Microbiological Contaminants	current
Nitrates	2014
Radioactive Contaminants	2011
Synthetic Organic Contaminants (including herbicides and pesticides)	2014
Volatile Organic Contaminants	2014
Disinfection By-products	2014

Detected Contaminants

As you can see by the table below, our system had no violations. We have learned through our monitoring and testing that some constituents have been detected. We are pleased to report that our drinking water meets federal and state requirements.

	1.5.1.6			MALTINE	J VVA	TER CONTAMINANTS
-	Violation	Level .	Unit		1.5	Likely Source
Contaminants	Y/N	Detected	Msmt	MCLG	MCL	of Contamination
Alpha emitters	NO	0.0±1.5	PCi/l	0	15	Erosion of natural deposits
Copper	NO	0.229* 0>AL	ppm	1.3	AL=1. 3	Corrosion of household plumbing systems; erosion of natura deposits; leaching from wood preservatives
Fluoride	МО	0.39	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from factories
Nitrate (as Nitrogen)	NO	ND-0.25	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
TTHM [Total trihalomethanes]	NO	30.4-59.8	ppb	0	80	By-product of drinking water chlorination
HAA5 [Total haloacetic acids] .	NO	10.0-17.7	ppb	0	60	By-product of drinking water chlorination
Unregulated Contaminants						<u> </u>
Chloroform	NO	15.3	ppb	70	none	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff
Bromodichloromethane	NO	18.2	ppb	0	none	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff
Chlorodibromomethane	NO	16.6	ppb	60	none	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff
Bromoform	NO	2.22	ppb	0	none	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff
Secondary Contaminants				Y		a de l'asse d'a d'a d'all saig
Chloride	NO	124	ppm	n/a		Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff
fardness	NO	5.73	ppm	n/a		Naturally occurring in the environment or as a result of treatment with water additives
H	NO	7.34	S.U.	n/a	n/a	Naturally occurring in the environment or as a result of treatment with water additives
Sodium	NO	136	ppm	n/a		Naturally occurring in the environment
Sulfate	NO	1.92	ppm	n/a	250	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff
otal Dissolved Solids	NO	332	ppm	n/a	500	Naturally occurring in the environment or as a result of industrial discharge or agricultural runoff

^{*} Figure shown is 90th percentile and # of sites above Action Level (1.3 ppm) = 0

The following table is a list of *Primary Drinking Water Contaminants* and a list of *Unregulated Contaminants* for which our water system routinely monitors. These contaminants were *not* detected in your drinking water unless they are listed in the *Table of Detected Drinking Water Contaminants*.

31/4/		ST OF PRIMARY DE	NIKING WATER CONTAMINANTS			
Contaminant	MCL	Unit of Msmt	Contaminant	MCL	Unit of Msmt	
Bacteriological Contaminants			trans-1,2-Dichloroethylene	100	ppb	
Total Coliform Bacteria	<5%	present or absent	Dichloromethane	5	ppb	
Fecal Collform and E. coll	0		1,2-Dichloropropane	5 .	ppb	
Turbidity	π	NTU	Di (2-ethylhexyl)adipate	400	ppb	
Cryptosporidium	П	Calculated organisms/liter	Di (2-ethylhexyl)phthalate	6	ppb	
Radiological Contaminants	12 - 12 - 12 - 12 - 12 - 12 - 12 - 12 -		Dinoseb	7	ppb	
Beta/photon emitters	4	mrem/yr	Dioxin [2,3,7,8-TCDD]	30	pqq	
Alpha emitters	15	pCVi	Diquat	20	ppb	
Combined radium	5	pCi/l	Endothali	100	ppb	
Uranium	30	pCi/l	Endrin	2	ppb	
Inorganic Chemicals			Epichlorohydrin	TT	п	
Antimony	6	ppb	Ethylbenzene	700	ppb	
Arsenic	10	ppb	Ethylene dibromide	50	ppt	
Asbestos	7	MFL	Glyphosate	700	ppb	
Barium	2	ppm	Heptachlor	400	ppt	
Beryllium	4	ppb	Heptachlor epoxide	200	ppt	
Cadmium	5	ppb	Hexachlorobenzene	1	ppb	
Chromium	100	ppb	Hexachiorocyclopentadiene	50	ppb	
Copper	AL=1.3	ррт	Lindane	200	ppt	
Cyanide	200	ρφb	Methoxychlor	40	ppb	
Fluoride	4	ppm	Oxamyl [Vydate]	200	ppb	
Lead	AL=15	ppb	Polychlorinated bipherryls (PCBs)	0.5	ppb	
Mercury	2	ppb	Pentachlorophenol	1	ppb	
Nitrate	10	ppm	Picloram	500	ppb	
Nkrite	1	ppm	Simazine	4	opb	
Selenium	.05	ррт	Styrene	100	ppb	
Thaillum	.002	ppm	Tetrachloroethylene	5	ppb	
Organic Contaminants			Toluene	1	ppm	
2,4-D	70	ppb	Toxaphene	3	ppb	
Acrylamide	IT	TT	2,4,5-TP(Silvex)	50	ppb	
Alachior	2	ppb	1,2,4-Trichlombenzene	.07	ppm	
Benzene	5	ppb	1.1.1-Trichlorgethane	200	ppb	
Benzo(a)pyrene [PAHs]	200	ppt	1,1,2-Trichloroethane	5	ppb	
Carbofuran	40	ppb	Trichloroethylene	5	ppto	
Carbon tetrachloride	5	ppb	Vinyl Chloride	2	ppb	
Chlordane	2		Xylenes	10	ppm	
	100	ppb	Disinfectants & Disinfection Byproducts			
Chlorobenzene	200	ppb	Chlorine	1 4	ppm	
Dalapon		ppb	Chlorine Dioxide	800	ppb	
Dibromochloropropane	200	ppt		4		
o-Dichlorobenzene	600	ppb	Chloramines		ppm	
p-Dichlorobenzene	75	ppb	Bromate	10	ppb	
1,2-Dichloroethane	5	ppb	Chiorite	1 1	ppm	
1,1-Dichloroethylene	7	ppb	HAA5 [Total haloacetic acids]	60	ppb	
cis-1,2-Dichloroethylene	70	ppb	TTHM [Total trihalomethanes]	80	ppb	
32.	ago unge	UNREGULATE	CONTAMINANTS			
1,1 - Dichloropropene	Aldicarb		Chloroform N		Metolachior	
1,1,1,2-Tetrachloroethane	Aldicarb Sulfone		Chloromethane	Metribuzin		
1.1,2,2-Tetrachloroethane	Aldicart	Sulfoxide	Dibromochloromethane	N - B	N - Butylbenzene	
1,1-Dichloroethane	Aldrin		Dibromomethane	Naphi	Naphthalene	
1,2,3 - Trichlorobenzene	1000	enzene	Dicamba	N-Propylbenzene		
1,2,3 - Trichloropropane		hloromethane	Dichlorodifluoromethane	O-Chlorotoluene		
1,2,4 - Trimethylbenzene	7	E WAR STATE	Dieldrin	P-Chlorotoluene		
	Bromodichloromethane Bromoform		Hexachiorobutadiene			
1,3 - Dichloropropane	Bromoform			Propachior Propachior		
1,3 - Dichloropropene		nethane	Isoprpylbenzene M. Ciebleschenzene			
1,3,5 - Trimethylbenzene	Butachi	200	M-Dichlorobenzene	Sec - Butylbenzene		
2,2 - Dichloropropane	Carban	1	Methornyl	Tert - Butyfbenzene		
3-Hydroxycarbofuran	Chioros	thane	MTBE	Trichi	orfluoromethane	

General Information

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. MCL's, defined in a List of Definitions in this report, are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect. In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and it can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which
 may come from sewage treatment plants, septic systems,
 agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water run-off, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, storm water run-off, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

Based on a study conducted by ADEM with the approval of the EPA a statewide waiver for the monitoring of asbestos and dioxin was issued. Thus, monitoring for these contaminants was not required.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. People at risk should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your water system is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water hotline or at www.epa.gov/safewater/lead.

DEFINITIONS

Action Level - the concentration of a contaminant that, if exceeded, triggers treatment or other requirements which a water system must follow.

Coliform Absent (ca) - Laboratory analysis indicates that the contaminant is not present

Disinfection byproducts (DBPs)— are formed when disinfectants used in water treatment plants react with bromide and/or natural organic matter (i.e., decaying vegetation) present in the source water. Different disinfectants produce different types or amounts of disinfection byproducts. Disinfection byproducts for which regulations have been established include trihalomethanes (TTHM), haloacetic acids (HAA5), bromate, and chlorite.

Initial Distribution System Evaluation (IDSE) - a one-time study conducted by water systems to identify distribution system locations with high concentrations of trihalomethanes (THMs) and haloacetic acids (HAAs).

Locational Running Annual Average (LRAA)-yearly average of all the DPB results at each specific sampling site in the distribution system. The highest distribution site LRAA is reported in the Table of Detected Contaminants.

Maximum Contaminant Level - (mandatory language) The Maximum Allowed (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - (mandatory language) The Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL)-the highest level of a disinfectant allowed in drinking water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present above detection limits of lab equipment.

Not Reported (NR) - laboratory analysis, usually Secondary Contaminants, not reported by water system. EPA recommends secondary standards to water systems but does not require system to comply.

Parts per billion (ppb) or Micrograms per liter (µg/l)- one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per quadrillion (ppq) or Picograms per liter (picograms/l) - one part per quadrillion corresponds to one minute in 2,000,000,000 years, or a single penny in \$10,000,000,000,000.

Parts per trillion (ppt) or Nanograms per liter (nanograms/l) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

RAA-Running annual average

Standard Units (S.U.)-pH of water measures the water's balances of acids and bases and is affected by tempaeraure and carbon dioxide gas. Water with less than 6.5 could be acidic, soft, and corrosive. A pH geater than 8.5 could indicate that the water is hard.

Treatment Technique (TT) - (mandatory language) a required process intended to reduce the level of a contaminant in drinking water.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Questions?

If you have any questions about this report or concerning your water utility, please contact <code>Darryl Taylor</code> at 251-675-2297 or via email at kushla13@bellsouth.net. We want our valued customers to be Informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held <code>last Monday of each month</code> at the water office at 4:00 p.m. Please call the water office for the exact day of the month.

More information about contaminants to drinking water and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (1-800-426-4791).